

Wednesday, March 09, 2016 2:50:56 PM

142462

Page 1

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Arm

Stop *NS2*

Start Date: 4/20/2016 **Start Qty:** 10.00

10

Cust Item ID:

Required Date: 4/25/2016 **Req'd Qty:** 10.00

10

Customer:

Reference:

Approvals: Process Plan: MLS Date: MAR 09 2016 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 142462

Wednesday, March 09, 2016 2:50:56 PM

142462

Page 2

Item ID: D3204-5 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Arm
 Start Date: 4/20/2016 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 4/25/2016 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC8- Inspect parts - second check	0.00							DAS 14 9-09
130						10	0		16/04/13
QC	Memo	0.00							
Quality Control									
140	Identify as per dwg & Stock Location: _____	0.00							
140						10		ML5	16-04-14
Packaging	Memo	0.00							
Packaging	LOCATION : WA002								
150	QC21- Final Inspection - Work Order Release	0.00							
150									APR 15 2016
QC	Memo	0.02							
Quality Control									

ML5 APR 15 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : ☐			
Misidentified ☐		Past Due ☐					

Picklist Print

Wednesday, March 09, 2016 2:50:55 PM

Page 1

Work Order ID: 142462

142462

Parent Item: D3204-5

D3204-5

Parent Item Name: Arm

Start Date: 4/20/2016

Required Date: 4/25/2016

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP: C05.08.11 Added Step 25 KJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.375X01.25 0		Purchased	No			100	f	25.5680	0.2913	3.066316			

M6061T6B0.375X01.250

6061-T6 Bar .375 x 1.25

Location

Loc Qty

Loc Code

MAT001

25.568

→ M126075

5.568

M129530

20

3.07

ML 16/04/13

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____ _____ _____			
Misidentified ☐	☐	Past Due ☐	☐				

DART AEROSPACE LTD		Work Order: 142462
Description: Arm		Part Number: D3204-5
Inspection Dwg: D3204	Rev: A1	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
R0.375	+/-0.010	.375	✓		vern	
0.750	+/-0.010	.751	✓			
R0.50	+/-0.030	.500	✓			
R0.500	+/-0.010	.500	✓			
Ø0.760	+0.005/-0.000	.760	✓			
0.080	+/-0.010	.080	✓			
2.373	+/-0.005	2.373	✓			
Ø0.375	+0.005/-0.000	.375	✓			
0.250	+/-0.010	.250	✓			
R0.06	+/-0.030	.062	✓			
0.200	+/-0.010	.200	✓		↓	


Measured by: #16-04-13	Audited by: DAS 14	Prototype Approval: N/A
Date:	Date: 16/04/13	Date: N/A

Rev	Date	Change	Revised by	Approved
A	05.02.17	New Issue	KJ/JLM	
B	06.03.21	Dwg Rev update	KJ/JLM	



DESIGN #	DRAWN BY #	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3204	REV. A SHEET 1 OF 3
DATE 04.01.27		TITLE RELEASE PEDAL ASSEMBLY	SCALE NTS
A	04.01.27	NEW ISSUE	
A1	05.07.15	6.45 WAS 6.50	

RELEASED
04.04.30



D3204-041 RELEASE PEDAL ASSEMBLY

NOTES

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 2) MATERIAL: 6061-T6 OR -T62 (QQ-A-200/8) 0.750 OD x 0.125 WALL (M6061T6T0.75W.125)
- 3) MATERIAL: 6061-T6 (QQ-A-200/8 OR QQ-A-250/11 OR QQ-A-225/8) BAR (M6061T6B)
- 4) MATERIAL: AISI 303 SS (M303R)
- 5) MATERIAL: 6061 (QQ-A-250/11) SHEET 0.125 THICK (M6061T6S.125)
- 6) ENGRAVE "PUSH" USING 0.5" HIGH LETTERS TO DEPTH OF 0.010 TO 0.020
- 7) ENGRAVE DART P/N USING 0.125 LETTERS TO MAX DEPTH OF 0.010
- 8) WELD ASSEMBLY PER QSI 004
- 9) CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 10) POWDER COAT ASSEMBLY GREY SANDTEX (REF. 4.3.5.6) PER QSI 005 4.3
- 11) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 12) ALL DIMENSIONS ARE INCHES


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN Rt	DRAWN BY Rt	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3204	REV. A SHEET 2 OF 3
DATE 04.01.27		TITLE RELEASE PEDAL ASSEMBLY	SCALE NTS


RELEASED
04.04.05





2 D3204-1 TUBE
SCALE 1:2





4 D3204-7 BUSHING
SCALE 1:1



3 D3204-3 ARM
SCALE 1:2



3 D3204-5 ARM
SCALE 1:2






Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN <i>RT</i>	DRAWN BY <i>RT</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3204	REV. A SHEET 3 OF 3
DATE 04.01.27	TITLE RELEASE PEDAL ASSEMBLY		SCALE NTS


RELEASED
04.09.30



D3204-9 PEDAL
SCALE 1:2



D3204-11 PLATE
SCALE 1:1



D3204-13 GUSSET
SCALE 1:1

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.